Rec'd PCT/PTO 31 MAY 2005

PCT/SE2003/001856

10/536949

1	2	3
Identifier:'6F3A'	Structure: Linear fixed	Optional
Record length: X+14 bytes (4)	Update activity (5)	
6 Access conditions: READ CHV1 UPDATE CHV1 INVALIDATE CHV2 REHABILITATE CHV2		

11 Bytes	Description (10)	M/O (9)	Length (8)
7a 1 to X	Alpha Identifier	O	X bytes
7b X + 1	Length of BCD number/SSC content	M	1 byte
7c X + 2	TON and NPI	M	1 byte
7d X+3 to X+12	Dialling Number/SSC string	M	10 bytes
7e X + 13	Capability/Configuration Identifier	M	1 byte
7f X + 14	Extension 1 Record Identifier	M	1 byte

FIG. 1

Rec'd PCT/PTO 31 MAY 2005

PCT/SE2003/001856

10/536949

1	2	3
Identifier:'6F3A'	Structure: Linear fixed	Optional
Record length: X+14 bytes	Update activity	

6 — Access conditions: 4 — 5

READ	CHV1
UPDATE	CHV1
INVALIDATE	CHV2
REHABILITATE	CHV2

11 — 10 — 9 — 8

Bytes	Description	M/O	Length
7a: 1 to X	John Smith, - time 5, 12th Dec 2002	O	X bytes
7b: X + 1	Length of BCD number/SSC content	M	1 byte
7c: X + 2	TON and NPI	M	1 byte
7d: X+3 to X+12	+ 358 09 123456/#11 040 789012	M	10 bytes
7e: X + 13	Capability/Configuration Identifier	M	1 byte
7f: X + 14	Extension 1 Record Identifier	M	1 byte

FIG. 2


Access control system
19
Central database
12
Internet
14
SMS-gateway
20
Central database
12b
SMS-center
17
SMS-gateway
21
SMS-center
23
Mobile phone
22
GSM
SIM
13a
Mobile phone
15a
Mobile phone
15b
SIM
13b
Mobile phone
15c
SIM
13c

FIG. 3

Rec'd PCT/PTO 31 MAY 2005

10/536949



FIG. 4


Mobile phone
SMS-C
SMS-gateway
Central phonebook
1
2
3
Proceeds as in figure 4

FIG. 5